

**TC7136X X XXX** 

### FEATURES

- Fast Overrange Recovery, Guaranteed First Reading Accuracy
- Guaranteed Zero Reading With Zero Input
- High Resolution ......0.05%
- Low Input Leakage Current ......1pA Typ. 10pA Max
- Precision Null Detectors With True Polarity at Zero
- High-Impedance Differential Input
- Convenient 9V Battery Operation With Low Power Dissipation ...... 500µW Typ. 900µW Max

### **TYPICAL APPLICATIONS**

- Thermometry
- Bridge Readouts: Strain Gauges, Load Cells, Null Detectors
- Digital Meters: Voltage/Current/Ohms/Power, pH
- Digital Scales, Process Monitors
- Portable Instrumentation

### ORDERING INFORMATION

PART CODE

A or blank\*


R (reversed pins) or blank (CPL pkg only) ----

\* "A" parts have an improved reference TC

Package Code (see below):

| Package<br>Code | Package     | Pin Layout   | Temperature<br>Range |
|-----------------|-------------|--------------|----------------------|
| CKW             | 44-Pin PQFP | Formed Leads | 0°C to +70°C         |
| CLW             | 44-Pin PLCC | _            | 0°C to +70°C         |
| CPL             | 40-Pin PDIP | Normal       | 0°C to +70°C         |

### AVAILABLE PACKAGES




### **GENERAL DESCRIPTION**

The TC7136 and TC7136A are low-power, 3-1/2 digit with liquid crystal display (LCD) drivers with analog-todigital converters. These devices incorporate an "integrator output zero" phase which guarantees overrange recovery. The performance of existing TC7126, TC7126A and ICL7126-based systems may be upgraded with minor changes to external, passive components.

The TC7136A has an improved internal zener reference voltage circuit which maintains the analog common temperature drift to 35ppm/°C (typical) and 75 ppm/°C (maximum). This represents an improvement of two to four times over similar 3-1/2 digit converters. The costly, spaceconsuming external reference source may be removed.

The TC7136/A limits linearity error to less than 1 count on 200mV or 2V full-scale ranges. Roll-over error — the difference in readings for equal magnitude but opposite polarity input signals — is below ±1 count. High-impedance differential inputs offer 1 pA leakage currents and a  $10^{12}\Omega$  input impedance. The differential reference input allows ratiometric measurements for ohms or bridge transducer measurements. The  $15\mu V_{P-P}$  noise performance guarantees a "rock solid" reading. The auto-zero cycle guarantees a zero display readout for a 0V input.

#### TYPICAL OPERATING CIRCUIT



### TC7136 TC7136A

#### **ABSOLUTE MAXIMUM RATINGS\***

| Supply Voltage (V <sup>+</sup> to V <sup>-</sup> )15V        |
|--|
| Analog Input Voltage (Either Input) (Note 1) V+ to V-        |
| Reference Input Voltage (Either Input) V+ to V-              |
| Clock Input TEST to V <sup>+</sup>                           |
| Package Power Dissipation ( $T_A \le 70^{\circ}C$ ) (Note 2) |
| Plastic DIP1.23W   |
| Plastic Quad Flat Package1.00W                               |
| PLCC1.23W  |
| Operating Temperature Range                                  |
| C Devices0°C to +70°C  |
| I Devices25°C to +85°C                                       |

Storage Temperature Range ......-65°C to +150°C Lead Temperature (Soldering, 10 sec) ......+300°C

\*Static-sensitive device. Unused devices must be stored in conductive material. Protect devices from static discharge and static fields. Stresses above those listed under Absolute Maximum Ratings may cause permanent damage to the device. These are stress ratings only and functional operation of the device at these or any other conditions above those indicated in the operational sections of the specifications is not implied. Exposure to Absolute Maximum Rating Conditions for extended periods may affect device reliability.

#### **ELECTRICAL CHARACTERISTICS:** $V_S = 9V$ , $f_{CLK} = 16$ kHz, and $T_A = +25^{\circ}C$ , unless otherwise noted.

| Symbol           | Parameter                                | Test Conditions  | Min      | Тур      | Max        | Unit               |
|------------------|--|--|----------|----------|------------|--------------------|
| Input            |  |  |          |          | 1          | 1                  |
|                  | Zero Input Reading                       | V <sub>IN</sub> = 0V<br>Full Scale = 200 mV  | - 000.0  | ±000.0   | +000.0     | Digital<br>Reading |
|                  | Zero Reading Drift                       | $V_{IN}$ = 0V, 0°C $\leq$ T <sub>A</sub> $\leq$ +70°C  | _        | 0.2      | 1          | μV/°C              |
|                  | Ratiometric Reading                      | $V_{IN} = V_{REF}, V_{REF} = 100 \text{mV}$  | 999      | 999/1000 | 1000       | Digital<br>Reading |
| NL               | Nonlinearity Error                       | Full Scale = 20 mV or 2V<br>Max Deviation From Best<br>Straight Line   | - 1      | ±0.2     | 1          | Count              |
|                  | Roll-Over Error                          | $-V_{IN} = +V_{IN} \approx 200 \text{mV}$  |          | - 1      | ±0.2       | 1 Count            |
| e <sub>N</sub>   | Noise                                    | V <sub>IN</sub> = 0V, Full Scale = 200mV   | _        | 15       | _          | μV <sub>P-P</sub>  |
| ۱L               | Input Leakage Current                    | $V_{IN} = 0V$  | _        | 1        | 10         | pА                 |
| CMRR             | Common-Mode Rejection<br>Ratio           | $V_{CM} = \pm 1V$ , $V_{IN} = 0V$ ,<br>Full Scale = 200 mV   | -        | 50       | -          | μV/V               |
|                  | Scale Factor Temperature<br>Coefficient  | $V_{IN}$ = 199 mV, 0°C $\leq$ T <sub>A</sub> $\leq$ +70°C<br>Ext Ref Temp Coeff = 0ppm/°C  | -        | 1        | 5          | ppm/°C             |
| Analog Co        | ommon                                    |  |          |          |            |                    |
| V <sub>CTC</sub> | Analog Common<br>Temperature Coefficient | 250 k $\Omega$ Between Common and V <sup>+</sup><br>0°C $\leq$ T <sub>A</sub> $\leq$ +70°C TC7136A<br>"C" Commercial Temp TC7136<br>Range Devices  | _        | 35<br>70 | 75<br>150  | ppm/°C<br>ppm/°C   |
|                  |  | $\begin{array}{l} -25^{\circ}C \leq T_{A} \leq +85^{\circ}C & TC7136A \\ \end{tabular} \label{eq:tabular} \end{tabular} t$ | _        | 35<br>70 | 100<br>150 | ppm/°C<br>ppm/°C   |
| V <sub>C</sub>   | Analog Common Voltage                    | 250 kW Between Common and V <sup>+</sup>   | 2.7      | 3.05     | 3.35       | V                  |
| LCD Drive        |  |  |          |          |            |                    |
| V <sub>SD</sub>  | LCD Segment Drive Voltage                | $V^+$ to $V^- = 9V$  | 4        | 5        | 6          | V <sub>P-P</sub>   |
| V <sub>BD</sub>  | LCD Backplane Drive Voltage              | $V^{+}$ to $V^{-} = 9V$  | 4        | 5        | 6          | V <sub>P-P</sub>   |
| Power Su         |  |  | -1       | +        | 1          | + -                |
| Is               | Power Supply Current                     | V <sub>IN</sub> = 0V, V <sup>+</sup> to V <sup>-</sup> = 9V (Note 6)   | _        | 70       | 100        | μA                 |
|                  |  | ges when input current is limited to 100µA.  | <u> </u> | !        |            | · ·                |

2. Dissipation rating assumes device is mounted with all leads soldered to PC board.


3. Refer to "Differential Input" discussion.

4. Backplane drive is inphase with segment drive for "OFF" segment and 180° out-of-phase for "ON" segment. Frequency is 20 times conversion rate. Average DC component is less than 50mV.

5. See "Typical Operating Circuit".

<sup>6.</sup> A 48kHz oscillator increases current by 20 μA (typical). Common current not included.

## TC7136 TC7136A



NC = NO INTERNAL CONNECTION

## TC7136 TC7136A

### **TC7136/A PIN DESCRIPTION**

| Pin No.<br>40-Pin PDIP |           |                   |  |
|------------------------|-----------|-------------------|--|
| Normal                 | (Reverse) | Name              | Description  |
| 1                      | (40)      | V+                | Positive supply voltage.   |
| 2                      | (39)      | D <sub>1</sub>    | Activates the D section of the units display.  |
| 3                      | (38)      | C <sub>1</sub>    | Activates the C section of the units display.  |
| 4                      | (37)      | B <sub>1</sub>    | Activates the B section of the units display.  |
| 5                      | (36)      | A <sub>1</sub>    | Activates the A section of the units display.  |
| 6                      | (35)      | F <sub>1</sub>    | Activates the F section of the units display.  |
| 7                      | (34)      | G <sub>1</sub>    | Activates the G section of the units display.  |
| 8                      | (33)      | E <sub>1</sub>    | Activates the E section of the units display.  |
| 9                      | (32)      | D <sub>2</sub>    | Activates the D section of the tens display.   |
| 10                     | (31)      | C <sub>2</sub>    | Activates the C section of the tens display.   |
| 11                     | (30)      | B <sub>2</sub>    | Activates the B section of the tens display.   |
| 12                     | (29)      | A <sub>2</sub>    | Activates the A section of the tens display  |
| 13                     | (28)      | F <sub>2</sub>    | Activates the F section of the tens display.   |
| 14                     | (27)      | E <sub>2</sub>    | Activates the E section of the tens display.   |
| 15                     | (26)      | D <sub>3</sub>    | Activates the D section of the hundreds display.   |
| 16                     | (25)      | B <sub>3</sub>    | Activates the B section of the hundreds display.   |
| 17                     | (24)      | F <sub>3</sub>    | Activates the F section of the hundreds display.   |
| 18                     | (23)      | E <sub>3</sub>    | Activates the E section of the hundreds display.   |
| 19                     | (22)      | AB <sub>4</sub>   | Activates both halves of the 1 in the thousands display.   |
| 20                     | (21)      | POL               | Activates the negative polarity display.   |
| 21                     | (20)      | BP                | Backplane drive output.  |
| 22                     | (19)      | G <sub>3</sub>    | Activates the G section of the hundreds display.   |
| 23                     | (18)      | A <sub>3</sub>    | Activates the A section of the hundreds display.   |
| 24                     | (17)      | C <sub>3</sub>    | Activates the C section of the hundreds display.   |
| 25                     | (16)      | G <sub>2</sub>    | Activates the G section of the tens display.   |
| 26                     | (15)      | V <sup>-</sup>    | Negative power supply voltage.   |
| 27                     | (14)      | V <sub>INT</sub>  | The integrating capacitor should be selected to give the maximum voltage swing that ensures component tolerance buildup will not allow the integrator output to saturate. When analog common is used as a reference and the conversion rate is 3 readings per second, a $0.047\mu$ F capacitor may be used. The capacitor must have a low dielectric constant to prevent roll-over errors. See Integrating Capacitor section for additional details. |
| 28                     | (13)      | V <sub>BUFF</sub> | Integration resistor connection. Use a $180k\Omega$ for a 20 mV full-scale range and a $1.8M\Omega$ for 2V full-scale range.   |
| 29                     | (12)      | C <sub>AZ</sub>   | The size of the auto-zero capacitor influences the system noise. Use a $0.47\mu$ F capacitor for a 200mV full scale, and a $0.1\mu$ F capacitor for a 2V full scale. See paragraph on Auto-Zero Capacitor for more details.  |
| 30                     | (11)      | VIN               | The low input signal is connected to this pin.   |
| 31                     | (10)      | V <sub>IN</sub>   | The high input signal is connected to this pin.  |
| 32                     | (9)       | ANALOG<br>COMMON  | This pin is primarily used to set the analog common-mode voltage for battery operation or in systems where the input signal is referenced to the power supply. See paragraph on Analog Common for more details. It also acts as a reference voltage source.  |

| Pin No.<br>40-Pin PDIP<br>Normal | (Reverse) | Name             | Description  |
|----------------------------------|-----------|------------------|--|
| 33                               | (8)       | $C_{REF}^{-}$    | See pin 34.  |
| 34                               | (7)       | $C_{REF}^{+}$    | A $0.1\mu$ F capacitor is used in most applications. If a large common-mode voltage exists (for example, the V <sub>IN</sub> pin is not at analog common), and a 200 mV scale is used, a $1\mu$ F capacitor is recommended and will hold the roll-over error to 0.5 count. |
| 35                               | (6)       | V <sub>REF</sub> | See pin 36.  |
|                                  | (5)       | $V_{REF}^+$      | The analog input required to generate a full-scale output (1999 counts). Place 100 mV between pins 35 and 36 for 199.9 mV full scale. Place 1V between pins 35 and 36 for 2V full scale. See paragraph on Reference Voltage.   |
| 36                               | (4)       | TEST             | Lamp test. When pulled HIGH (to V <sup>+</sup> ) all segments will be turned ON and the display should read –1888. It may also be used as a negative supply for exter-<br>nally-generated decimal points. See paragraph under Test for additional informa tion.            |
| 37                               | (3)       | OSC <sub>3</sub> | See pin 40.  |
| 38                               | (2)       | OSC <sub>2</sub> | See pin 40.  |
| 39                               | (1)       | OSC1             | Pins 40, 39 and 38 make up the oscillator section. For a 48kHz clock (3 readings per second) connect pin 40 to the junction of a 180 k $\Omega$ resistor and a 50pF capacitor. The 180k $\Omega$ resistor is tied to pin 39 and the 50pF capacitor is tied to pin 38.      |

### TC7136/A PIN DESCRIPTION (Cont.)

### **GENERAL THEORY OF OPERATION**

(All Pin designations refer to 40-Pin Dip)

#### **Dual-Slope Conversion Principles**

The TC7136/A is a dual-slope, integrating analog-todigital converter. An understanding of the dual-slope conversion technique will aid in following detailed TC7136/A operational theory.

The conventional dual-slope converter measurement cycle has two distinct phases:


- (1) Input signal integration
- (2) Reference voltage integration (deintegration)

The input signal being converted is integrated for a fixed time period ( $t_{SI}$ ), measured by counting clock pulses. An opposite polarity constant reference voltage is then integrated until the integrator output voltage returns to zero. The reference integration time is directly proportional to the input signal ( $t_{RI}$ ).

In a simple dual-slope converter, a complete conversion requires the integrator output to "ramp-up" and "ramp-down."

A simple mathematical equation relates the input signal, reference voltage, and integration time:

$$\frac{1}{RC} \int_{0}^{t_{SI}} V_{IN}(t) dt = \frac{V_R t_{RI}}{RC} ,$$



where:

 $V_R$  = Reference voltage

 $t_{SI}$  = Signal integration time (fixed)

 $t_{RI}$  = Reference voltage integration time (variable).

For a constant V<sub>IN</sub>:

$$V_{IN} = V_R \frac{t_{RI}}{t_{SI}}$$

## TC7136 TC7136A




Figure 2. Normal-Mode Rejection of Dual-Slope Converter

The dual-slope converter accuracy is unrelated to the integrating resistor and capacitor values, as long as they are stable during a measurement cycle. Noise immunity is an inherent benefit. Noise spikes are integrated, or averaged, to zero during integration periods. Integrating ADCs are immune to the large conversion errors that plague successive approximation converters in high-noise environments. Interfering signals with frequency components at multiples of the averaging period will be attenuated. Integrating ADCs commonly operate with the signal integration period set to a multiple of the 50 Hz/60 Hz power line period.

#### ANALOG SECTION

In addition to the basic integrate and deintegrate dualslope cycles discussed above, the TC7136/A designs incorporate an "integrator output-zero cycle" and an "auto-zero cycle." These additional cycles ensure the integrator starts at 0V (even after a severe overrange conversion) and that all offset voltage errors (buffer amplifier, integrator and comparator) are removed from the conversion. A true digital zero reading is assured without any external adjustments.

A complete conversion consists of four distinct phases:

- (1) Integrator output-zero phase
- (2) Auto-zero phase
- (3) Signal integrate phase
- (4) Reference deintegrate phase

#### **Integrator Output-Zero Phase**

This phase guarantees the integrator output is at 0V before the system-zero phase is entered. This ensures that true system offset voltages will be compensated for even after an overrange conversion. The count for this phase is a function of the number of counts required by the

deintegrate phase.

The count lasts from 11 to 140 counts for non-overrange conversions and from 31 to 640 counts for overrange conversions.

### **Auto-Zero Phase**

During the auto-zero phase, the differential input signal is disconnected from the circuit by opening internal analog gates. The internal nodes are shorted to analog common (ground) to establish a zero input condition. Additional analog gates close a feedback loop around the integrator and comparator. This loop permits comparator offset voltage error compensation. The voltage level established on  $C_{AZ}$  compensates for device offset voltages. The auto-zero phase residual is typically 10µV to 15µV.

The auto-zero duration is from 910 to 2900 counts for non-overrange conversions and from 300 to 910 counts for overrange conversions.

#### **Signal Integration Phase**

The auto-zero loop is entered and the internal differential inputs connect to  $V_{IN}^+$  and  $V_{IN}^-$ . The differential input signal is integrated for a fixed time period. The TC7136/A signal integration period is 1000 clock periods or counts. The externally-set clock frequency is divided by four before clocking the internal counters. The integration time period is:

$$t_{SI} = \overline{f_{OSC}} \times 1000$$

4

where f<sub>OSC</sub> = external clock frequency.

The differential input voltage must be within the device common-mode range when the converter and measured system share the same power supply common (ground). If the converter and measured system do not share the same power supply common,  $V_{\bar{I}N}$  should be tied to analog common.

Polarity is determined at the end of signal integrate phase. The sign bit is a true polarity indication, in that signals less than 1 LSB are correctly determined. This allows precision null detection limited only by device noise and auto-zero residual offsets.

#### **Reference Integrate Phase**

The third phase is reference integrate or deintegrate.  $V_{I\overline{N}}$  is internally connected to analog common and  $V_{I\overline{N}}^{+}$  is connected across the previously-charged reference capacitor. Circuitry within the chip ensures that the capacitor will be connected with the correct polarity to cause the integrator output to return to zero. The time required for the output to return to zero is proportional to the input signal and is

TEST \* 37 ۵ 500V ÷ 200 6.2V 7 SEGMENT DECODE UNITS þ 8 LCD SEGMENT DRIVERS CONTROL LOGIC , <sup>±</sup>, <sup>±</sup> 7 SEGMENT DECODE DATA LATCH TENS 8 СD INTERNAL DIGITAL GOUND 7 SEGMENT DECODE HUNDREDS Ξ ÷4 ł TO SWITCH DRIVERS FROM COMPARATOR OUTPUT fosc THOUSANDS 38 OSC3 ▲ c<sub>osc</sub> SEGMENT TO DIGITAL SECTION TYPICAL SEGMENT OUTPUT INTERNAL DIGITAL GROUND 39 OSC2 CINT ۷INT CLOCK Rosc Ā COMPARATOR 27 ٵ؞۠ٳ INTEGRATOR 40 0SC1 ğ n S R TC7136/A LOW TEMPCO VREF RINT 8  $\otimes$ V<sup>+</sup>-2.5 CRFF 56 Ø<sup>zi &</sup> 35 VRFF V ) DE L AZ & DE (±) ۳Э -<sup>1</sup>2 ZI & AZ (+) 30 巴 V<sup>+</sup>EF 36 R  $\otimes$ 34 ⊗ ѯ 10 UA CREF  $\otimes$ Q સ્ 32 ¦≚ > +≚ >

#### Figure 3. TC7136A Block Diagram

### TC7136 TC7136A

## TC7136 TC7136A




Figure 4. Conversion Timing During Normal Operation




Figure 5. Conversion Timing During Overrange Operation

between 0 and 2000 internal clock periods. The digital reading displayed is

1000 
$$\frac{V_{IN}}{V_{REF}}$$

### DIGITAL SECTION

The TC7136/A contains all the segment drivers necessary to directly drive a 3-1/2 digit LCD. An LCD backplane driver is included. The backplane frequency is the external clock frequency divided by 800. For three conversions per second the backplane frequency is 60Hz with a 5V nominal amplitude. When a segment driver is in-phase with the backplane signal, the segment is OFF. An out-of-phase segment drive signal causes the segment to be ON, or visible. This AC drive configuration results in negligible DC voltage across each LCD segment, ensuring long LCD life. The polarity segment driver is ON for negative analog inputs. If  $V_{\rm IN}^{+}$  and  $V_{\rm IN}^{-}$  are reversed, this indicator would reverse.

On the TC7136/A, when the TEST pin is pulled to V<sup>+</sup>, all segments are turned ON. The display reads -1888. During this mode the LCD segments have a constant DC voltage impressed. DO NOT LEAVE THE DISPLAY IN THIS MODE FOR MORE THAN SEVERAL MINUTES. LCDS MAY BE DESTROYED IF OPERATED WITH DC LEVELS FOR

#### EXTENDED PERIODS.

The display font and segment drive assignment are shown in Figure 6.




Figure 6. Display FONT and Segment Assignment

### System Timing

The oscillator frequency is divided by 4 prior to clocking the internal decade counters. The four-phase measurement cycle takes a total of 4000 counts, or 16,000 clock pulses. The 4000-count cycle is independent of input signal magnitude.

Each phase of the measurement cycle has the following length:

| (1) Auto-zero phase:  | 3000 to 2900 counts<br>(1200 to 11,600 clock pulses) |
|-----------------------|--|
| (2) Signal integrate: | 1000 counts<br>(4000 clock pulses)                   |

This time period is fixed. The integration period is:

$$t_{\rm SI} = 4000 \left(\frac{1}{f_{\rm OSC}}\right),$$

where f<sub>OSC</sub> is the externally-set clock frequency.

- (3) Reference integrate: 0 to 2000 counts
- (4) Zero integrator: 11 to 640 counts

The TC7136 is a drop-in replacement for the TC7126 and ICL7126. The TC7136A offers a greatly-improved internal reference temperature coefficient. Minor component value changes are required to upgrade existing designs and improve the noise performance.

#### **COMPONENT VALUE SELECTION**

#### Auto-Zero Capacitor (C<sub>AZ</sub>)

The C<sub>AZ</sub> capacitor size has some influence on system noise. A 0.47 $\mu$ F capacitor is recommended for 200mV full-scale applications where 1 LSB is 100 $\mu$ V. A 0.1 $\mu$ F capacitor is adequate for 2V full-scale applications. A Mylar-type dielectric capacitor is adequate.


#### **Reference Voltage Capacitor** (C<sub>REF</sub>)

The reference voltage, used to ramp the integrator output voltage back to zero during the reference integrate phase, is stored on  $C_{REF}$ . A  $0.1\mu F$  capacitor is acceptable when  $V_{REF}$  is tied to analog common. If a large common-mode voltage exists ( $V_{REF} \neq$  analog common) and the application requires a 200mV full scale, increase  $C_{REF}$  to 1  $\mu F$ . Roll-over error will be held to less than 0.5 count. A Mylar-type dielectric capacitor is adequate.

#### Integrating Capacitor (CINT)

 $C_{INT}$  should be selected to maximize integrator output voltage swing without causing output saturation. Analog common will normally supply the differential voltage reference this case, a  $\pm 2V$  full-scale integrator output swing is satisfactory. For 3 readings per second ( $f_{OSC} = 48$ kHz) a 0.047 $\mu$ F value is suggested. For one reading per second, 0.15 $\mu$ F is recommended. If a different oscillator frequency is used,  $C_{INT}$  must be changed in inverse proportion to maintain the nominal  $\pm 2V$  integrator swing.

An exact expression for CINT is:



where:  $f_{OSC}$  = Clock frequency at pin 38  $V_{FS}$  = Full-scale input voltage

R<sub>INT</sub> = Integrating resistor

V<sub>INT</sub> = Desired full-scale integrator output swing.

C<sub>INT</sub> must have low dielectric absorption to minimize roll-over error. A polypropylene capacitor is recommended.

#### Integrating Resistor (R<sub>INT</sub>)

The input buffer amplifier and integrator are designed with Class A output stages. The output stage idling current is  $6\mu$ A. The integrator and buffer can supply  $1\mu$ A drive currents with negligible linearity errors. R<sub>INT</sub> is chosen to remain in the output stage linear drive region, but not so large that PC board leakage currents induce errors. For a 200mV full scale, R<sub>INT</sub> is 180k $\Omega$ . A 2V full scale requires 1.8M $\Omega$ .

| Component        | Nominal Full-Scale Voltage |        |  |
|------------------|----------------------------|--------|--|
| Value            | 200mV                      | 2V     |  |
| C <sub>AZ</sub>  | 0.47µF                     | 0.1µF  |  |
| R <sub>INT</sub> | 180kΩ                      | 1.8MΩ  |  |
| CINT             | 0.047µF                    | 0.04µF |  |

**NOTE:** fOSC = 48kHz (3 readings per sec).  $R_{OSC} = 180k\Omega$ ,  $C_{OSC} = 50pF$ . © 2001 Microchip Technology Inc. DS21461A

#### **Oscillator Components**

 $C_{OSC}$  should be 50pF.  $R_{OSC}$  is selected from the equation:

$$f_{OSC} = \frac{0.45}{RC}.$$

Note that  $f_{OSC}$  is  $\div 4$  to generate the TC7136A's internal clock. The backplane drive signal is derived by dividing  $f_{OSC}$  by 800.

To achieve maximum rejection of 60Hz noise pickup, the signal integrate period should be a multiple of 60Hz. Oscillator frequencies of 240kHz, 120kHz, 80kHz, 60kHz, 40kHz, etc. should be selected. For 50 Hz rejection, oscillator frequencies of 200kHz, 100kHz, 66-2/3kHz, 50kHz, 40kHz, etc. would be suitable. Note that 40kHz (2.5 readings per second) will reject both 50Hz and 60Hz.

#### **Reference Voltage Selection**

A full-scale reading (2000 counts) requires the input signal be twice the reference voltage.

| Required Full-Scale Voltage* | V <sub>REF</sub> |
|------------------------------|------------------|
| 200mV                        | 100mV            |
| 2V                           | 1V               |

 $*V_{FS} = 2 V_{REF}$ .

In some applications, a scale factor other than unity may exist between a transducer output voltage and the required digital reading. Assume, for example, a pressure transducer output for 2000 lb/in.<sup>2</sup> is 400mV. Rather than dividing the input voltage by two, the reference voltage should be set to 200mV. This permits the transducer input to be used directly.

The differential reference can also be used when a digital zero reading is required when  $V_{IN}$  is not equal to zero. This is common in temperature measuring instrumentation. A compensating offset voltage can be applied between analog common and  $V_{IN}$ . The transducer output is connected between  $V_{IN}^{+}$  and analog common.

## DEVICE PIN FUNCTIONAL DESCRIPTION Differential Signal Inputs

### V<sub>IN</sub> (Pin 31), V<sub>IN</sub> (Pin 30)

The TC7136/A is designed with true differential inputs and accepts input signals within the input stage commonmode voltage range (V<sub>CM</sub>). The typical range is V<sup>+</sup> – 1V to V<sup>-</sup> +1V. Common-mode voltages are removed from the system when the TC7136A operates from a battery or floating power source (isolated from measured system), and V<sub>IN</sub> is connected to analog common (V<sub>COM</sub>). (See Figure 7.)




Figure 7. Common-Mode Voltage Removed in Battery Operation With VIN = Analog Common

In systems where common-mode voltages exist, the 86 dB common-mode rejection ratio minimizes error. Common-mode voltages do, however, affect the integrator output level. A worst-case condition exists if a large positive V<sub>CM</sub> exists in conjunction with a full-scale negative differential signal. The negative signal drives the integrator output positive along with V<sub>CM</sub> (see Figure 8.) For such applications, the integrator output swing can be reduced below the recommended 2V full-scale swing. The integrator output will swing within 0.3V of V<sup>+</sup> or V<sup>-</sup> without increased linearity error.

#### **Differential Reference**

#### V<sub>REF</sub><sup>+</sup> (Pin 36), V<sub>REF</sub> (Pin 35)

The reference voltage can be generated anywhere within the  $V^+$  to  $V^-$  power supply range.

To prevent roll-over type errors being induced by large common-mode voltages, CREF should be large compared to stray node capacitance.




Figure 8. Common-Mode Voltage Reduces Available Integrator Swing ( $V_{COM} \neq V_{IN}$ )

The TC7136/A offers a significantly improved analog common temperature coefficient. This potential provides a very stable voltage, suitable for use as a voltage reference. The temperature coefficient of analog common is typically 35 ppm/°C.

#### ANALOG COMMON (Pin 32)

The analog common pin is set at a voltage potential approximately 3V below V<sup>+</sup>. The potential is guaranteed to be between 2.7V and 3.35V below V<sup>+</sup>. Analog common is tied internally to an N-channel FET capable of sinking 100 $\mu$ A. This FET will hold the common line at 3V below V<sup>+</sup> if an external load attempts to pull the common line toward V<sup>+</sup>. Analog common source current is limited to 1µA. Analog common is therefore easily pulled to a more negative voltage (i.e., below  $V^+ - 3V$ ).

The TC7136/A connects the internal  $V_{IN}^+$  and  $V_{IN}^$ inputs to analog common during the auto-zero phase. During the reference-integrate phase, V<sub>IN</sub> is connected to analog common. If VIN is not externally connected to analog common, a common-mode voltage exists, but is rejected by the converter's 86dB common-mode rejection ratio. In battery operation, analog common and VIN are usually connected, removing common-mode voltage concerns. In systems where V<sub>IN</sub> is connected to the power supply ground or to a given voltage, analog common should be connected to V<sub>IN</sub>.

The analog common pin serves to set the analog section reference, or common point. The TC7136A is specifically designed to operate from a battery or in any measurement system where input signals are not referenced (float) with respect to the TC7136A power source. The analog common potential of  $V^+ - 3V$  gives a 7V end of battery life voltage. The common potential has a 0.001%/% voltage coefficient. With sufficiently high total supply voltage  $(V^+ - V^- > 7V)$ ,

### TC7136 TC7136A

analog common is a very stable potential with excellent temperature stability (typically 35 ppm/°c). for TC7136A This potential can be used to generate the TC7136A's reference voltage. An external voltage reference will be unnecessary in most cases because of the 35 ppm/°C temperature coefficient. See TC7136A Internal Voltage Reference discussion.


#### TEST (Pin 37)


The TEST pin potential is 5V less than V<sup>+</sup>. TEST may be used as the negative power supply connection for external CMOS logic. The TEST pin is tied to the internally-generated negative logic supply through a  $500\Omega$  resistor. The TEST pin load should not be more than 1mA. See the Applications Section for additional information on using TEST as a negative digital logic supply.

If TEST is pulled high (to V<sup>+</sup>), all segments plus the minus sign will be activated. DO NOT OPERATE IN THIS MODE FOR MORE THAN SEVERAL MINUTES. With TEST = V<sup>+</sup>, the LCD segments are impressed with a DC voltage which will destroy the LCD.

#### TC7136A Internal Voltage Reference

The TC7136 analog common voltage temperature stability has been significantly improved (Figure 9). The "A" version of the industry-standard TC7136 device allows users to upgrade old systems and design new systems without external voltage references. External R and C values do not need to be changed; however, noise performance will be improved by increasing  $C_{AZ}$ . (See Auto-Zero Capacitor section.) Figure 10 shows analog common supplying the necessary voltage reference for the TC7136/A.








Figure 10. TC7136A Internal Voltage Reference Connection

### APPLICATIONS INFORMATION Liquid Crystal Display Sources

Several manufacturers supply standard LCDs to interface with the TC7136A 3-1/2 digit analog-to-digital converter.

| Manufacturer              | Address/Phone   | Representative<br>Part Numbers <sup>*</sup> |
|---------------------------|---|---|
| Crystaloid<br>Electronics | 5282 Hudson Dr.<br>Hudson, OH 44236<br>216-655-2429           | C5335, H5535,<br>T5135, SX440               |
| AND                       | 720 Palomar Ave.<br>Sunnyvale, CA 94086<br>408-523-8200       | FE 0201, 0501<br>FE 0203, 0701<br>FE 2201   |
| VGI, Inc.                 | 1800 Vernon St. Ste. 2<br>Roseville, CA 95678<br>916-783-7878 | 11048, 11126                                |
| Hamlin, Inc.              | 612 E. Lake St.<br>Lake Mills, WI 53551<br>414-648-2361       | 3902, 3933, 3903                            |

\*NOTE: Contact LCD manufacturer for full product listing/specifications.

#### **Decimal Point and Annunciator Drive**

The TEST pin is connected to the internally-generated digital logic supply ground through a 500 $\Omega$  resistor. The TEST pin may be used as the negative supply for external CMOS gate segment drivers. LCD annunciators for decimal points, low battery indication, or function indication may be added without adding an additional supply. No more than 1 mA should be supplied by the TEST pin: its potential is approximately 5V below V<sup>+</sup>.

### TC7136 TC7136A


#### **Ratiometric Resistance Measurements**


The TC7136A's true differential input and differential reference make ratiometric readings possible. In ratiometric operation, an unknown resistance is measured with respect to a known standard resistance. No accurately-defined reference voltage is needed.

The unknown resistance is put in series with a known standard and a current passed through the pair. The voltage developed across the unknown is applied to the input and the voltage across the known resistor applied to the reference input. If the unknown equals the standard, the display will read 1000. The displayed reading can be determined from the following expression:

Displayed reading =  $\frac{R_{UNKNOWN}}{R_{STANDARD}} \times 1000.$ 

The display will overrange for  $R_{UNKNOWN} \ge 2 \times R_{STANDARD}$ .








Figure 12. Low Parts Count Ratiometric Resistance Measurement






Figure 13. Temperature Sensor






## TC7136 TC7136A

#### PACKAGE DIMENSIONS



## TC7136 TC7136A

#### PACKAGE DIMENSIONS (Cont.)





## WORLDWIDE SALES AND SERVICE

#### AMERICAS

**Corporate Office** 2355 West Chandler Blvd. Chandler, AZ 85224-6199 Tel: 480-792-7200 Fax: 480-792-7277 Technical Support: 480-792-7627 Web Address: http://www.microchip.com **Rocky Mountain** 2355 West Chandler Blvd. Chandler, AZ 85224-6199 Tel: 480-792-7966 Fax: 480-792-7456 Atlanta 500 Sugar Mill Road, Suite 200B Atlanta, GA 30350 Tel: 770-640-0034 Fax: 770-640-0307 Austin Analog Product Sales 8303 MoPac Expressway North Suite A-201 Austin, TX 78759 Tel: 512-345-2030 Fax: 512-345-6085 Boston 2 Lan Drive, Suite 120 Westford, MA 01886 Tel: 978-692-3848 Fax: 978-692-3821 Boston Analog Product Sales Unit A-8-1 Millbrook Tarry Condominium 97 Lowell Road Concord, MA 01742 Tel: 978-371-6400 Fax: 978-371-0050 Chicago 333 Pierce Road, Suite 180 Itasca, IL 60143 Tel: 630-285-0071 Fax: 630-285-0075 Dallas 4570 Westgrove Drive, Suite 160 Addison, TX 75001 Tel: 972-818-7423 Fax: 972-818-2924 Dayton Two Prestige Place, Suite 130 Miamisburg, OH 45342 Tel: 937-291-1654 Fax: 937-291-9175 Detroit Tri-Atria Office Building 32255 Northwestern Highway, Suite 190 Farmington Hills, MI 48334 Tel: 248-538-2250 Fax: 248-538-2260 Los Angeles 18201 Von Karman, Suite 1090

18201 Von Karman, Suite 1090 Irvine, CA 92612 Tel: 949-263-1888 Fax: 949-263-1338

#### Mountain View

Analog Product Sales 1300 Terra Bella Avenue Mountain View, CA 94043-1836 Tel: 650-968-9241 Fax: 650-967-1590

#### New York

150 Motor Parkway, Suite 202 Hauppauge, NY 11788 Tel: 631-273-5305 Fax: 631-273-5335 **San Jose** Microchip Technology Inc. 2107 North First Street, Suite 590 San Jose, CA 95131 Tel: 408-436-7950 Fax: 408-436-7955 **Toronto** 6285 Northam Drive, Suite 108 Mississauga, Ontario L4V 1X5, Canada Tel: 905-673-0699 Fax: 905-673-6509

#### ASIA/PACIFIC

China - Beijing Microchip Technology Beijing Office Unit 915 New China Hong Kong Manhattan Bldg. No. 6 Chaoyangmen Beidajie Beijing, 100027, No. China Tel: 86-10-85282100 Fax: 86-10-85282104 China - Shanghai Microchip Technology Shanghai Office Room 701, Bldg. B Far East International Plaza No. 317 Xian Xia Road Shanghai, 200051 Tel: 86-21-6275-5700 Fax: 86-21-6275-5060 Hong Kong Microchip Asia Pacific RM 2101, Tower 2, Metroplaza 223 Hing Fong Road Kwai Fong, N.T., Hong Kong Tel: 852-2401-1200 Fax: 852-2401-3431 India Microchip Technology Inc. India Liaison Office Divyasree Chambers 1 Floor, Wing A (A3/A4) No. 11, OiShaugnessey Road Bangalore, 560 025, India Tel: 91-80-2290061 Fax: 91-80-2290062 Japan Microchip Technology Intl. Inc. Benex S-1 6F 3-18-20, Shinyokohama Kohoku-Ku, Yokohama-shi Kanagawa, 222-0033, Japan Tel: 81-45-471- 6166 Fax: 81-45-471-6122 Korea Microchip Technology Korea 168-1, Youngbo Bldg. 3 Floor Samsung-Dong, Kangnam-Ku

Seoul, Korea Tel: 82-2-554-7200 Fax: 82-2-558-5934

#### ASIA/PACIFIC (continued)

Singapore Microchip Technology Singapore Pte Ltd. 200 Middle Road #07-02 Prime Centre Singapore, 188980 Tel: 65-334-8870 Fax: 65-334-8850 **Taiwan** Microchip Technology Taiwan 11F-3, No. 207 Tung Hua North Road Taipei, 105, Taiwan Tel: 886-2-2717-7175 Fax: 886-2-2545-0139

#### EUROPE

Australia Microchip Technology Australia Pty Ltd Suite 22, 41 Rawson Street Epping 2121, NSW Australia Tel: 61-2-9868-6733 Fax: 61-2-9868-6755 Denmark Microchip Technology Denmark ApS Regus Business Centre Lautrup hoj 1-3 Ballerup DK-2750 Denmark Tel: 45 4420 9895 Fax: 45 4420 9910 France Arizona Microchip Technology SARL Parc díActivite du Moulin de Massy 43 Rue du Saule Trapu Batiment A - ler Etage 91300 Massy, France Tel: 33-1-69-53-63-20 Fax: 33-1-69-30-90-79 Germany Arizona Microchip Technology GmbH Gustav-Heinemann Ring 125 D-81739 Munich, Germany Tel: 49-89-627-144 0 Fax: 49-89-627-144-44 Germany Analog Product Sales Lochhamer Strasse 13 D-82152 Martinsried, Germany Tel: 49-89-895650-0 Fax: 49-89-895650-22 Italv Arizona Microchip Technology SRL Centro Direzionale Colleoni Palazzo Taurus 1 V. Le Colleoni 1 20041 Agrate Brianza Milan, Italy Tel: 39-039-65791-1 Fax: 39-039-6899883 United Kingdom Arizona Microchip Technology Ltd. 505 Eskdale Road Winnersh Triangle Wokingham Berkshire, England RG41 5TU Tel: 44 118 921 5869 Fax: 44-118 921-5820

All rights reserved. © 2001 Microchip Technology Incorporated. Printed in the USA. 1/01 Printed on recycled paper.

Information contained in this publication regarding device applications and the like is intended through suggestion only and may be superseded by updates. It is your responsibility to ensure that your application meets with your specifications. No representation or warranty is given and no liability is assumed by Microchip Technology Incorporated with respect to the accuracy or use of such information, or infringement of patents or other intellectual property rights arising from such use or otherwise. Use of Microchip's products as critical components in life support systems is not authorized except with express written approval by Microchip. No licenses are conveyed, implicitly or otherwise, except as maybe explicitly expressed herein, under any intellectual property rights. The Microchip logo and name are registered trademarks of Microchip Technology Inc. in the U.S.A. and other countries. All rights reserved. All other trademarks mentioned herein are the property of their respective companies.